



AMERICAN
FIRE SUPPLY

THE BEST IN FIRE PROTECTION EQUIPMENT

STOCK PRODUCT CATALOG



Payment Terms

Net 30 Days (with approved credit).

1 1/2% interest charge per month may be assessed against invoices not paid within 30 days. American Fire Supply accepts all major credit cards.

Taxes

All prices and quotations are subject to local, federal, and state taxes where applicable.

Quotation Terms

Quotations are honored for 30 days from the date of quotation.

Freight

F.O.B. shipping point with no freight allowance unless otherwise specified. All small shipments are shipped via UPS only. Freight shipments within New England are shipped via Ross Express. Freight shipments outside of New England are shipped best way, prepaid and add. Any shipping instructions are subject to acceptance by seller.

Catalog Specifications

American Fire Supply has the right to substitute material and/or change the design or other specifications, as shown and illustrated in any of our printed text, without accountability to purchasers.

Returned Goods

Merchandise may not be returned for credit without the prior approval of American Fire Supply. An RMA# (return material authorization) is required for all returns. American Fire Supply will accept returned merchandise in its original condition minus a 30% restocking fee and any shipping charges as long as merchandise is returned within 90 days from date of invoice. Credit will apply to future purchases only.

Custom Goods

Returns will not be accepted for custom and/or special ordered material.

Damaged Goods

If the purchaser receives damaged merchandise, the purchaser must notify American Fire Supply within 10 business days. Damaged merchandise may be returned upon thorough examination.

Liability

American Fire Supply accepts no liability for costs of field labor or materials to adjust, change, or correct any product.

Warranty

American Fire Supply warrant products, for one year from the date of shipment, to be free from defects in material and workmanship when properly installed and maintained under normal use and service. Any field modifications may negate this warranty coverage. Warranty coverage is limited to the material replacement of the defective product and does not extend to incidental or consequential damages of any nature.

“Buy American” Material

Certain products may be available as Buy American, Buy America, BABA, or AIS compliant. Origin or “Act” requirements must be included in the Quote request or Purchase Order, and confirmed in the Sales Order acknowledgment to ensure compliance.

TABLE of CONTENTS

Adapters 18

Double Female Adapters - Double Male Adapters - Female x Male Adapters - Cam and Groove Adapters

Cabinets 17

Valve Cabinets

Dry Hydrants and Strainers 15

Male and Female Dry Hydrants - Dry Hydrant Signs - Dry Hydrant Strainers - Strainer Support Clamps

Fire Department Connections 8 - 10

FDC Inlets (Complete Units) - Hydrants and Test Headers (Complete Units) - Inlet and Outlet Bodies Only - Roof Manifolds - Clapperless Bodies

FDC Accessories 10 - 12

Reducers - Caps - Plugs - Ball Drips - Clappered Snoots - Open Snoots - Brass Check Valves - Sleeves - Round Wall Plates - Rectangular Wall Plates - FDC Signs

Fire Hoses 14

Single Jacket - Double Jacket - Rubber Covered - Rack Hose - LDH Hose

Fire Hose Rack Assemblies 14

Complete Hose Rack Assemblies - Hose Rack Covers

Nozzles 14

Fog Nozzles - Plain Hose Nozzles - Forestry Nozzles

Sprinkler Accessories 12

Sprinkler Extension Nipples - Head Boxes - Head Guards - Sprinkler Gauges - Alarm Bells - Expansion Tanks

Storz Connections 13

Straight Storz Connections - 30° Storz Connections - 90° Storz Connections - Storz Hydrant Converters - Storz Caps - Siamese Storz Connections

Test Equipment 15 - 17

Hydrant Diffusers - Valve Testing Devices - Pitot Kits - Gauges - Playpipes - Discharge Elbows - Flow Nozzles - Riptide Flow Test - Miscellaneous

Trim Valves 6 - 7

Test & Drain Valves - Sight Glasses - Orifice Unions - 3Way Gauge Valves - Globe & Angle Valves - Ball Valves - OS&Ys - Pressure Relief Valves - Boiler Drains - Check Valves

Valves 4 - 5

Angle Hose Valves - Pressure Restricting Hose Valves - Gate Valves - Pressure Reducing Valves - Butterfly Valves - Check Valves - Wyes



Angle Hose Valves

V25FM 2½" Female x Male

V25GM 2½" Groove x Male

V25FF 2½" Female x Female

V15FM 1½" Female x Male

V15FF 1½" Female x Female



Pressure Restricting Hose Valves

AVAPR250F-I 2½" Female x Male

AVAPR250F-IG 2½" Groove x Male



Wedge Disc Gate Valves

VAL53-25 2½" Female x Male

VAL53-3 2½" Groove x Male



Pressure Reducing Valves (Field Adjustable)

ZW5000 2½" Female x Male Angle

ZW5000G 2½" Groove x Male Angle

ZW5004G 2½" Groove x Groove Angle

ZW5004ILG 2½" Groove x Groove Straight


- All ZW5004 models come standard with built-in supervisory switch



Hydrant Gate Valve (with Crank Handle)

VAL05116C 2½" Rough Brass

VAL05116CA 2½" Aluminum



Hydrant Gate Valve (with Hand Wheel)

VAL078 2½" Female x Male



Wye Valves

WYEBALL2515 2½" F Swivel
NST x (2) 1½" M NST



Swing Check Valves (Ductile Iron)

CHK321526 2"

CHK321533 2½"

CHK321539 3"

CHK321547 4"

CHK321557 6"

CHK321576 8"



Riser Style Swing Check Valves

CHK321526-S 2"

CHK321533-S 2½"

CHK321539-S 3"

CHK321547-S 4"


CHK321557-S 6"

CHK321576-S 8"

CHK321561-T Trim for 2" valves

CHK321562-T Trim for 2½" - 3" valves

CHK321563-T Trim for 4" - 8" valves



Butterfly Valves (Bronze)

VAL311726 1" Threaded

VAL311736 1¼" Threaded

VAL311763 1¼" Grooved

VAL311746 1½" Threaded

VAL311764 1½" Grooved

VAL311756 2" Threaded

VAL311766 2" Grooved

VAL311761 2½" Threaded

VAL311774 2½" Grooved



Butterfly Valves (Ductile Iron)

VAL311785 2½" Grooved

VAL311790 3" Grooved

VAL311795 4" Grooved

VAL311805 6" Grooved

VAL311815 8" Grooved



Test & Drain Valves

TESTDRAIN1 1"
TESTDRAIN125 1¼"
TESTDRAIN15 1½"
TESTDRAIN2 2"



Sight Glasses

SIGHTGLASS1 1"
SIGHTGLASS1R 1" w/ ½" orifice
SIGHTGLASS125 1¼"
SIGHTGLASS2 2"



Globe Valves

GV1/4 ¼"
GV1/2 ½"
GV3/4 ¾"
GV1 1"
GV125 1¼"
GV15 1½"
GV2 2"



3-Way Gauge Valves

GAUGEVALVE ¼" F NPT



Restricting Orifice Unions

ORIFICEUNION ½" F NPT x ½" F NPT
w/ 3/32" orifice



Angle Valves

AV1/4 ¼"
AV1/2 ½"
AV3/4 ¾"
AV1 1"
AV125 1¼"
AV15 1½"
AV2 2"



Ball Valves

BV1/4 ¼"
BV1/2 ½"
BV3/4 ¾"
BV1 1"
BV125 1¼"
BV15 1½"
BV2 2"



Swing Check Valves

SWCV1/2 1/2"
SWCV3/4 3/4"
SWCV1 1"
SWCV125 1 1/4"
SWCV15 1 1/2"
SWCV2 2"



Inline Spring Check Valves

SPCV1/2 1/2"
SPCV3/4 3/4"
SPCV1 1"
SPCV125 1 1/4"
SPCV15 1 1/2"
SPCV2 2"



OS&Y Valves - Bronze

OSY1 1"
OSY125 1 1/4"
OSY15 1 1/2"
OSY2 2"



Boiler Drains

BOILERD1/2 1/2"
BOILERD3/4 3/4"



Hose Bibbs

HOSEB1/2 1/2"
HOSEB3/4 3/4"



Adjustable Pressure Relief Valves

APRV1/2 1/2"



Flush Mount FDC Inlets

- 120** 2-way, 4" outlet
- 126** 2-way, 6" outlet
- 130** 3-way, 6" outlet
- 140** 4-way, 6" outlet
- 150** 4-way square, 6" outlet
- 160-8** 6-way, 8" outlet



Free Standing FDC Inlets

- 220** 2-way, 4" outlet
- 221** 2-way, 6" outlet
- 230** 3-way, 4" outlet
- 231** 3-way, 6" outlet
- 240** 4-way, 6" outlet
- 250** 4-way square, 6" outlet



Exposed FDC Inlets

- 320** 2-way, 4" outlet
- 321** 2-way, 4" groove outlet
- 322** 2-way, 6" outlet
- 330** 3-way, 4" outlet
- 331** 3-way, 6" outlet



Single Inlet FDCs

- FDC111-01** 1½" NST inlet
- FDC111-02** 1½" NPSH inlet
- FDC111-04** 2½" NST inlet



Single Outlet Wall Hydrants

- WH111-01** 2½" NST outlet



Flush Mount Wall Hydrants / Test Headers (Without Valves)

- 420** 2-way, 4" inlet
- 422** 2-way, 6" inlet
- 430** 3-way, 6" inlet
- 440** 4-way, 6" inlet
- 450** 4-way square, 6" inlet
- 460-8** 6-way, 8" inlet



Flush Mount Test Headers (With Valves)

- 520** 2-way, 4" inlet
- 522** 2-way, 6" inlet
- 530** 3-way, 6" inlet
- 540** 4-way, 6" inlet
- 550** 4-way square, 6" inlet
- 560-8** 6-way, 8" inlet



Free Standing Test Headers (With Valves)

- 720** 2-way, 4" inlet
- 721** 2-way, 6" inlet
- 730** 3-way, 4" inlet
- 740** 4-way, 6" inlet
- 750** 4-way square, 6" inlet



Exposed Wall Hydrants

- 820** 2-way, 4" inlet
- 821** 2-way, 6" inlet
- 830** 3-way, 6" inlet



Free Standing Hydrants / Test Headers (Without Valves)

- 620** 2-way, 4" inlet
- 621** 2-way, 6" inlet



Derby Style Test Headers (Without Valves)

- PT231-01** 3-way, 6" flange
- PT231-02** 3-way, 6" groove
- PT241-01** 4-way, 6" flange
- PT241-02** 4-way, 6" groove
- PT261-02** 6-way, 6" groove
- PT262-01** 6-way, 8" flange
- PT262-02** 6-way, 8" groove



**Exposed 2-Way & 3-Way
FDC Inlets - Straight Body**

FDC221 - FDC231

4" 2-way through 6" 3-way



**Exposed 2-Way & 3-Way
FDC Inlets - 90° Angle Body**

FDC222 - FDC232

4" 2-way through 6" 3-way



**Flush Mount Clappered
Inlet Bodies**

FDC121 - FDC123

4" 2-way through 6" 2-way



**Exposed 2-Way & 3-Way
Straight Roof Manifolds**

RM221 - RM231

4" 2-way through 6" 3-way



**Exposed 2-Way & 3-Way
90° Angle Roof Manifolds**

RM222 - RM232

4" 2-way through 6" 3-way



**Clapperless Steel
FDC Bodies**

FDC134 - FDC164

6" 3-way through 8" 6-way



Clappered Snoots

720 2½" F NST x 3" M NPT

721 2½" F NST x 3" F NPT



Open Swivel Snoots

160 2½" F NST x 2½" F NPT

160-3 2½" F NST x 3" F NPT



Plugs & Chains

311 2½"



Caps & Chains

31015-1 1½" NST

31015-3 1½" NPSH

31025-1 2½" NST



Reducers - Female to Male

327-1 2½" x 1½" NST

327-3 2½" x 1½" NPSH



Breakable Caps

BRKCAP 2½" Red Plastic

BRKCAP-MS Red Aluminum



Ball Drips

BD1/2 ½"

BD3/4 ¾"



Male Snoots

163A25 2½" M NST x 2½" F NPT

163A3 2½" M NST x 3" F NPT



Sleeves

SLEEVE4 4" x 18"

SLEEVE6 6" x 18"



Rectangular Wall Plates

ESCH-2H 2-way Horizontal

ESCH-3H 3-way Horizontal

ESCH-4H 4-way Horizontal

ESCH-6H 6-way Horizontal

ESCH-2V 2-way Vertical

ESCH-3V 3-way Vertical

ESCH-4V 4-way Vertical

ESCH-4S 4-way Square



Round Wall Plates

24209-25 2½"

590-4 4"

590-6 6"

590-8 8"



FDC Swivel Kits

SWIVELKIT 2½" NST



Check Valves (Brass)

- CHKGG15** 1½" Grv x Grv
- CHKGM15** 1½" Grv x M NPT
- CHKFM15** 1½" F NPT x M NPT
- CHKGG2** 2" Grv x Grv
- CHKGM2** 2" Grv x M NPT
- CHKFM2** 2" F NPT x M NPT
- CHKGG25** 2½" Grv x Grv
- CHKGM2** 2½" Grv x M NPT
- CHKFM2** 2½" F NPT x M NPT
- CHKGG25** 2½" Grv x Grv
- CHKGM25** 2½" Grv x M NPT
- CHKFM25** 2½" F NPT x M NPT
- CHKGG3** 3" Grv x Grv
- CHKGM3** 3" Grv x M NPT
- CHKFM3** 3" F NPT x M NPT
- CHKGG4** 4" Grv x Grv
- CHKGM4** 4" Grv x M NPT
- CHKFM4** 4" F NPT x M NPT



Expansion Tanks

- EXPTANK2.5G** 2½ gallon



Fire Sprinkler Gauges

- GAU11-550** Water 0-300 PSI
- GAU11-551** Air 0-300 PSI
- GAU11-552** Air w/ Retard 0-80 PSI
- GAU11-553** Air/Water 0-300 PSI



Alarm Bells & Back Boxes

- 02-452** 6" 120VAC Alarm Bell
- 02-452-50** 6" 24VDC Alarm Bell
- 02-450** 10" 120VAC Alarm Bell
- 02-450-50** 10" 24VDC Alarm Bell
- 02-454** Alarm Bell Back Box



Sprinkler Gauge Kits

- GAU11-566** Air/Water 0-300 PSI



Sprinkler Head Guards

- SPKGD1** ½" & ¾" Non-recessed, Red
- SPKGDREC** ½" Recessed, Chrome



Sprinkler Head Boxes

- HEADBOX6** 6 Head Capacity
- HEADBOX12** 12 Head Capacity



Sprinkler Extension Nipples

- SPKEXT12** ½" long x ½" NPT
- SPKEXT34** ¾" long x ½" NPT
- SPKEXT1** 1" long x ½" NPT
- SPKEXT15** 1½" long x ½" NPT
- SPKEXT2** 2" long x ½" NPT
- SPKEXT12-34** ½" long x ¾" NPT



Straight Storz w/ Caps

SZ4X15 4" Storz x 1½" F NPT

SZ4X2 4" Storz x 2" F NPT

SZ4X25 4" Storz x 2½" F NPT

SZ4X3 4" Storz x 3" F NPT

SZ4X4 4" Storz x 4" F NPT

SZ4X6 4" Storz x 6" F NPT

SZ5X4 5" Storz x 4" F NPT

SZ5X6 5" Storz x 6" F NPT

SZ6X6 6" Storz x 6" F NPT



30° Storz w/ Caps

SZ4X430 4" Storz x 4" F NPT

SZ4X630 4" Storz x 6" F NPT

SZ5X430 5" Storz x 4" F NPT

SZ5X630 5" Storz x 6" F NPT



90° Storz w/ Caps

SZ4X490 4" Storz x 4" F NPT

SZ4X690 4" Storz x 6" F NPT

SZ5X490 5" Storz x 4" F NPT

SZ5X690 5" Storz x 6" F NPT



Storz Hydrant Converters

SZ4X45 4" Storz x 4½" F NST

SZ5X45 5" Storz x 4½" F NST



Storz Caps

SZCAP4 4"

SZCAP5 5"



Siamese Storz Connections

SZ11A 4" F NPT x 4" Storz x (2) 2½" F NST

SZ11B 4" F NPT x 5" Storz x (2) 2½" F NST




Single Jacket Fire Hoses

HSE15-5SJ1 1½" x 50'
HSE15-1SJ1 1½" x 100'
HSE25-25SJ1 2½" x 25'
HSE25-5SJ1 2½" x 50'
HSE25-1SJ1 2½" x 100'



Double Jacket Fire Hoses

HSE15-5DJ1 1½" x 50'
HSE15-1DJ1 1½" x 100'
HSE25-10DJ1 2½" x 10'
HSE25-25DJ1 2½" x 25'
HSE25-5DJ1 2½" x 50'



Rack Hoses

HSERH50-1B 1½" x 50' NST
HSERH75-1B 1½" x 75' NST
HSERH100-1B 1½" x 100' NST



Rubber Covered Fire Hoses

HSE25-25RC1R 2½" x 25' Red
HSE25-5RC1R 2½" x 50' Red



Hose Rack Covers

HOSECVR-RA32 32"H x 22"W



Fire Hose Rack Assemblies

HRA155 1½" x 50'
HRA157 1½" x 75'
HRA151 1½" x 100'
HRA255 2½" x 1½" x 50'
HRA257 2½" x 1½" x 75'
HRA251 2½" x 1½" x 100'



Plastic Fog Nozzles

1575 1½"



Brass Fog Nozzles

1675 1½"




Straight Dry Hydrants

DHM45180 4½" Male NST
DHM6180 6" Male NST
DHF45180 4½" Female NST
DHF6180 6" Female NST



Dry Hydrants w/o PVC

DHM45LPVC 4½" Male NST
DHM6LPVC 6" Male NST
DHF6LPVC 6" Female NST



90° Dry Hydrants

DHM4590 4½" Male NST
DHM590 5" Male NST
DHM690 6" Male NST
DHF690 6" Female NST



Dry Hydrant Signs

DRYHYDSIGN Red lettering on white background



Strainer Support Clamps

STRAINCLAMP6 6"
STRAINCLAMP8 8"



Dry Hydrant Strainers

STRAINER6FL 6"
STRAINER8FL 8"



Playpipes

PLAYPIPE25 2½" NST w/ 1-1/8" orifice tip
PLAYPIPE25-NT 2½" NST w/o tip



Playpipe Tips

PLAYPIPETIP1125 1-1/8" orifice
PLAYPIPETIP175 1¾" orifice



Hydrant Diffusers

DIFFUSER100 2½" F NST w/
100 PSI/1680 GPM gauge

DIFFUSER160 2½" F NST w/
160 PSI/2120 GPM gauge

DIFFUSERCASE Carrying
case for diffuser



Riptide Flow Testing System™

RIPTIDE1 Single Action

RIPTIDE2 Double Action

RIPTIDE3 Triple Action

RIPTIDE4 Quad Action



Riptide Gauges

GAUGERIPR 4" 0-200 PSI,
¼" NPT on right

GAUGERIPL 4" 0-200 PSI,
¼" NPT on left



Gauges

GAUGEDIG 2½" -30-0-300 PSI Digital

GAUGE60 2½" 0-60 PSI

GAUGE100 2½" 0-100 PSI

GAUGE200 2½" 0-200 PSI

GAUGE300 2½" 0-300 PSI

GAUGE60-4 4" 0-60 PSI

GAUGE100-4 4" 0-100 PSI

GAUGE200-4 4" 0-200 PSI

GAUGE300-4 4" 0-300 PSI

GAUGE100-GPM 4" 100 PSI / 1680 GPM

GAUGE160-GPM 4" 160 PSI / 2120 GPM



Pitot Test Kits

PITOT Pitot tube, blade, (1) 2½" 100 PSI
gauge, Teflon tape


PITOTECON Pitot tube, blade, (1) 2½" 100
PSI gauge, (1) 2½" 160 PSI gauge, hydrant
cap, 3-way bleeder valve



Valve Testing Device

VALVETEST2 Up to 500 GPM/250 PSI

VALVETEST2CASE Carrying case



Hydrant Caps

HYDCAP 2½" F NST x ¼" NPT



Cap Gauges

CAPGAUGE25-1 100 PSI

CAPGAUGE25-2 200 PSI

CAPGAUGE25-3 300 PSI



Discharge Elbows

ELBOW45RB25 2½" 45°
Rough Brass

ELBOW45PC25 2½" 45°
Polished Chrome

ELBOW90RB25 2½" 90°
Rough Brass



3-Way Bleeder Valve

PITOTBLEED3 ¼"



Storz Spanner Wrench

SZWRENCH Fits 2" - 5" storz



Universal Spanner Wrenches

SPANNER-K Aluminum

SPANNER233 Cast Iron (red finish)



Hydrant Wrench

HYDWR Fits pentagonal hydrant nuts up to 1¾" from point to flat and square nuts up to 1¾", pin and rocker lugs from 1½" to 6"



Valve Cabinets

JL8515F10 18" x 18" x 8" Recessed w/ Full Acrylic Door

JL8515S21 18" x 18" x 8" Recessed w/ Solid Door

JL8515F10FX2 18" x 18" x 8" Recessed w/ Full Acrylic Door, Fire Rated

JL8515S21FX2 18" x 18" x 8" Recessed w/ Solid Door, Fire Rated

JL8415F10 18" x 18" x 10" Recessed w/ Full Acrylic Door

JL8415S21 18" x 18" x 10" Recessed w/ Solid Door



Female x Male Adapters - Rigid

A34FGH-34M2 ¾" F GH x ¾" M NPT
A34F2-34MGH ¾" F NPT x ¾" M GH
A15F1-34MGH 1½" F NST x ¾" M GH
A15F2-15M1 1½" F NPT x 1½" M NST
A15F1-15M2 1½" F NST x 1½" M NPT
A2F2-15M1 2" F NPT x 1½" M NST
A2F2-25M1 2" F NPT x 2½" M NST
A25F2-25M1 2½" F NPT x 2½" M NST
A25F1-34M2 2½" F NST x ¾" M NPT
A25F1-34MGH 2½" F NST x ¾" M GH
A25F1-1M2 2½" F NST x 1" M NPT
327-1RBA 2½" F NST x 1½" M NST
327-2RBA 2½" F NST x 1½" M NPT
A25F1-2M2 2½" F NST x 2" M NPT
A25F1-25M2 2½" F NST x 2½" M NPT
A25F1-3M2 2½" F NST x 3" M NPT
A3F2-25M1 3" F NPT x 2½" M NST
A4F2-45M1 4" F NPT x 4½" M NST
A45F1-25M1 4½" F NST x 2½" M NST
A45F1-4M2 4½" F NST x 4" M NPT



Female x Male Adapters - Swivel

A15FSW1-15M2 ¾" F GH x ¾" M NPT
A25FSW1-15M2 ¾" F NPT x ¾" M GH
A25FSW1-2M2 1½" F NST x ¾" M GH
A25FSW1-25M2 1½" F NPT x 1½" M NST
A25FSW1-3M2 1½" F NST x 1½" M NPT



Double Male Adapters

A34M2-34MGH ¾" M NPT x ¾" M GH
A15M2-15M1 1½" M NPT x 1½" M NST
A2M2-15M1 2" M NPT x 1½" M NST
A25M1-2M2 2" M NPT x 2½" M NST
A25M2-25M1 2½" M NPT x 2½" M NST
A25M1-25M1 2½" M NST x 2½" M NST
A3M2-25M1 3" M NPT x 2½" M NST
A4M2-4M1 4" M NPT x 4" M NST
A4M2-45M1 4" M NPT x 4½" M NST



Double Female Adapters

A34F2-34FSWG ¾" F GH x ¾" F NPT
A15FSW1-15F2 1½" F NST x 1½" F NPT
AFSW151-151 1½" F NST x 1½" F NST
A25FSW1-2F2 1½" F NST x 2" F NPT
160RBA 2½" F NST x 2½" F NPT
AFSW251-251 2½" F NST x 2½" F NST
A25FSW1-3F2 2½" F NST x 3" F NPT

Thread Chart

Size	NST or NH		NPSH		BRID		CHIC		CIN (New)		CIN (Old)	
	Fire Hose Thread		Straight Pipe Thread		Bridgeport, CT		Chicago Fire Dept.		Cincinnati, OH		Cincinnati, OH	
	ODM	TPI	ODM	TPI	ODM	TPI	ODM	TPI	ODM	TPI	ODM	TPI
1½"	1.9900"	9	1.8788"	11.5	--	--	1.9330"	11.5	--	--	--	--
2"	2.5156"	8	2.3528"	11.5	--	--	--	--	--	--	--	--
2½"	3.0686"	7.5	2.8430"	8	3.1800"	8	2.9900"	7.5	3.0580"	6	3.093"	6
3"	3.6239"	6	3.4700"	8	--	--	--	--	--	--	--	--
3½"	4.2439"	6	3.9700"	8	--	--	4.0520"	8	--	--	--	--
4"	5.0000"	4	4.4700"	8	--	--	5.0000"	4	--	--	--	--
4½"	5.7609"	4	4.9700"	8	--	--	5.7609"	4"	--	--	--	--
5"	6.2600"	4	5.5300"	8	--	--	6.2600"	4	--	--	--	--
6"	7.0250"	4	6.5900"	8	--	--	--	--	--	--	--	--
Size	CLEV		COL		DEN		DET		NEW		NYC	
	Cleveland, OH		Columbus, OH		Denver, CO		Detroit, MI		Newport, RI		New York Corp.	
	ODM	TPI			ODM	TPI	ODM	TPI	ODM	TPI	ODM	TPI
1½"	--	--	--	--	--	--	--	--	--	--	2.0930"	11
2"	--	--	--	--	--	--	--	--	--	--	2.5470"	11
2½"	3.0781"	8	3.125"	7.5	3.093"	8	3.125"	7.5	3.1870"	6	3.0000"	8
3"	--	--	--	--	--	--	--	--	--	--	--	--
3½"	--	--	--	--	--	--	3.625"	6	--	--	--	--
4"	--	--	4.843"	6	--	--	4.535"	6	--	--	--	--
4½"	--	--	--	--	--	--	--	--	--	--	--	--
5"	--	--	--	--	--	--	6.055"	4	--	--	--	--
6"	--	--	--	--	--	--	--	--	--	--	--	--
Size	NYFD		PITT		PHX		RICH		TMP		TOL	
	New York Fire Dept.		Pittsburgh, PA		Phoenix, AZ		Richmond, VA		Tempe, AZ		Toledo, OH	
	ODM	TPI	ODM	TPI	ODM	TPI	ODM	TPI	ODM	TPI	ODM	TPI
1½"	2.1000"	8	--	--	--	--	--	--	--	--	--	--
2"	--	--	--	--	--	--	--	--	--	--	--	--
2½"	3.0300"	8	3.0625"	6	3.0625"	6	3.3100"	8	3.070"	6	3.0000"	8
3"	3.6300"	8	--	--	--	--	--	--	--	--	--	--
3½"	4.0700"	8	--	--	--	--	--	--	--	--	--	--
4"	4.6100"	8	--	--	4.547"	6	--	--	4.500"	6	--	--
4½"	5.8000"	4	--	--	--	--	--	--	--	--	--	--
5"	--	--	--	--	--	--	--	--	--	--	--	--
6"	--	--	--	--	--	--	--	--	--	--	--	--



222 BEMIS ROAD
FITCHBURG, MA 01420

2665 GRAVEL DRIVE
FORT WORTH, TX 76118

P: 978-345-7570 | 800-252-7570
F: 978-345-7572
sales@americanfiresupply.com
www.americanfiresupply.com